



Addendum 33467 / 1



Issued on	11/9/2025	Replaces	--
Anniversary date	31/8/2026	Page	1 of 4
Inspection date	14/8/2025		
Effective date of certification	11/9/2025		

US National Organic Program (NOP) 7 CFR Part 205

B_Handling
X_Handling

Oazvita Biotech Co., Ltd.

Kiwa BCS Öko-Garantie GmbH confirms that the company fulfills the requirements of the mentioned scheme and is certified to the USDA organic regulations, 7 CFR Part 205.

You may verify the certification of this operation at the Organic Integrity Database (<https://organic.ams.usda.gov/integrity>).

Once certified, a production or handling operation's organic certification continues in effect until surrendered, suspended or revoked.

This addendum consists of pages. It is only valid in combination with a valid certificate. Please check the validity of this certificate on the organic integrity database (<https://organic.ams.usda.gov/integrity>). Publication of this addendum is permitted.

Nürnberg, 11/9/2025
Kiwa BCS Öko-Garantie GmbH

Miriam Haas, Certifier

This document is valid without signature.

01/17/2025
*This certificate consists of 4 pages. It is only valid in combination with an annex containing the technical details. Please check the validity of this certificate on our website.
Publication of this certificate is permitted*

Company details

Oazvita Biotech Co., Ltd.
Rm, 219, Tangxing Digital Building, No. 6, Tangxing Road, Hi-Tech Zone
710075 Xi'an City, Shaanxi Province
CHINA
328561040@qq.com

Kiwa BCS Öko-Garantie GmbH
Marientorgraben 3-5
90402 Nürnberg
GERMANY
+49 (0)911 42439 - 0

DE.Info.BCS@kiwa.com
www.kiwa.com



Certificate of Analysis

Product Name	Strawberry powder	Batch No.	RW26031001	
Quantity	1000kg	Manufacturer Date	Mar. 10, 2026	
Expiry Date	Mar. 09, 2028	Date of Certificate	Mar. 11, 2026	
ITEMS OF ANALYSIS		SPECIFICATIONS		RESULTS
Appearance	Light pink fine powder		Complies	
Odor and taste	Characteristic		Characteristic	
Moisture	≤5.0%		3.9%	
Ash	≤5.0%		3.1%	
Heavy Metal	≤10PPM		<7PPM	
Arsenic	≤1.0PPM		<0.2PPM	
Cadmium	≤1.0PPM		<0.05PPM	
Lead	≤1.0PPM		<0.1PPM	
Mercury	≤0.1PPM		<0.02PPM	
Mesh size	100% pass 80 mesh		Complies	
Microbiology				
Total plate count	≤1000cfu/g		<1000cfu/g	
Yeast & Mould	≤100cfu/g		<100cfu/g	
E.Coli	Negative		Complies	
Salmonella	Negative		Complies	
Conclusion	The analytical results comply with the specification			
Packing	25kg/paper drum			
Storage	Store in sealed containers at cool & dry place. Protect from light and moisture.			
Shelf life	2 years when properly stored			

